


# P&T Products Manufactures



## ELASTO-BOND

### Road Crack Sealant for Every Climate



Star ELASTO-BOND 3405 LM
Star ELASTO-BOND 3405, 3405 NR, 3405 R
Star ELASTO-BOND 1190, 1190 NR, 1190 R
Star ELASTO-BOND GTR Plus
Star ELASTO-BOND GTR Flex
Star ELASTO-BOND 5078
<i>Star ELASTO-BOND GTR Flex - HI</i>

This scale is to provide a rough estimate. Generally speaking, the material matching the color of the region, or one from the colors directly above or below that region will be suited to meet the climates needs.

**P&T Products works with all 50 state DOT material labs.  
We are pre-approved by many state DOT's. Call to  
discuss your individual state, county, and local  
specifications.**

**P&T Products, Inc.**

472 Industrial Pkwy, Sandusky OH 44870

PH 419-621-1966, Fax 419-621-1988

[www.P-TProductsInc.com](http://www.P-TProductsInc.com)

# P&T Products Manufactures

## **STAR ELASTO-BOND**

### **Crack Sealant for Parking Lot and Driveway Applications**

#### **Star ELASTO-BOND HS**

Star ELASTO-BOND HS is P&T Products most popular Star product. It is a premium quality direct fire material that is extremely successful in driveway and parking lot applications. It is chemically formulated to withstand temperatures up to 450°F without experiencing degradation.

#### ***Dura-Fill HS2***

*Dura-Fill HS2* is a lower cost option to *Dura-Fill HS*. This material is also a direct fire formula and is a perfect fit for MA 10 or pour pot application. Star ELASTO-BOND HS2 has the same high softening point and low temperature flexibility that your customers appreciate in P&T Products' standard direct fire material. *Dura-Fill HS2* can withstand the elements of driveways and parking lots such as power steering, foot traffic, and shopping carts.

#### **Star ELASTO-BOND PL**

Star ELASTO-BOND is the standard in parking lot crack sealants. It is designed for use in oil-jacketed kettles or direct-fire kettles providing that it is equipped with a mechanical agitator system and temperature controls.

#### ***Dura-Fill PL - LP***

This material boasts a lower penetration at elevated temperatures. There are additives in the material that help both decrease the surface tack and lower the penetration even at elevated temperatures. *Dura-Fill PL-LP* does not contain any recycled tire rubber. This material can be used in both oil jacketed equipment and direct fired kettles providing they have mechanical agitation.



#### **Star ELASTO-BOND XT 10**

Star ELASTO-BOND XT 10 is ideal for the contractor who wants a single product to use in both road and parking lot applications. It has a high softening point & great low temperature flexibility. It meets ASTM D 6690 Type 1. Star ELASTO-BOND XT 10 has a lower penetration can be used in parking lot applications. Star ELASTO-BOND XT 10 does not contain any recycled rubber, it can be used in oil jacketed & direct fired kettles with mechanical agitation.

**P&T Products, Inc.**

472 Industrial Pkwy, Sandusky OH 44870

PH 419-621-1966, Fax 419-621-1988

[www.P-TProductsInc.com](http://www.P-TProductsInc.com)

# P&T Products Manufactures




## ELASTO-BOND

### Specialty Hot Pour Asphalt Adhesives

#### *Hot Pour Marker Adhesive*

The Hot Pour Marker Adhesive, when properly applied, bonds markers and reflectors to concrete and asphalt pavements. It is a single component material formulated with select asphaltic resins and homogeneously mixed mineral filler.



#### *Hot Pour Longitudinal Joint Adhesive*

Hot Pour Longitudinal Joint Adhesive is used as an adhesive and tacking material on longitudinal cold construction joints on pavements. It fosters a long lasting seal between two sections of pavement, prolonging pavement service life by sealing the joints from water penetration.

#### *Hot Pour Airport Arresting Block Adhesive*

The Hot Pour Airport Arresting Block Adhesive is a blend of 75% PG 64-22 asphalt and 25% hot pour crack sealant. The material is used to bond the overrun surface of an airport runway and emergency arresting concrete blocks.



**P&T Products, Inc.**

472 Industrial Pkwy, Sandusky OH 44870

PH 419-621-1966, Fax 419-621-1988

[www.P-TProductsInc.com](http://www.P-TProductsInc.com)

# STAR ELASTO-BOND

## Competitor Cross Reference

Star ELASTO-BOND	Crafco	Deery	Right Pointe	McAsphalt	WR Meadows
1190	203, 211, 520	103	1190	190	1190, 164
1190 R		103GL			
1190 NR	515			190 PMA	
GTR Plus	241, 244				
3405	221, 222, 535	102, 3723, 6690 III	"3405 regular"	195	SealTight 3405,
3405 NR	220, 534	102	"3405 all virgin"		
3405 R	201	102 GR/GL	"3405 rubber"		
3405 LM	230, 231, 299, 514	101	"3405 modified"	195LM, 30-60 LM	3405 M, Sof Seal
GTR Flex	polyfles, 516, 518, 521	180, 200			
5078	232, 240	5078	#5078	AR	CR 90
GTR Flex - Jf	525				
HS	517, 532, 533	Super Stretch		DF	Direct Fire
Dura-Fill HS 2					
PL	200	Stretch Pro PL, 210	"direct fire parking lot"		PLS
Dura-Fill PL - LP					
XT 10	202	102PL	"3405/parking lot"		
Hot Pour Marker Adhesive	269, 270				
Hot Pour Longitudinal Joint Adhesive	245, 524	CJ		Joint Adhesive	
Hot Pour Airport Arresting Block	275				

\* compiled 1/2013 as a basic guideline for comparable materials. Please see data sheets for further guidance.

**P&T Products, Inc.**

472 Industrial Pkwy, Sandusky OH 44870

PH 419-621-1966, Fax 419-621-1988

www.P-TProductsInc.com